ASSESSMENT SOUNTSOURS	© Cop	terial Compo pyright 2005. IPC, Bannoc ternational and Pan-Americ	kburn, Illinois	. All rights reserv	tion with lower	level p	arts, the	declarat	on enco	mpasses a	ll lower		s for v	which the	item is an assembly manufacturer has		
1/32-2 1.1		Web Site for Informat		:-1752 Standa	ard		Form Type * Declaration Class * Declaration Class * Distribute Class 6 - RoHS Yes/No, Homogene					Homogeneo	us Ma	aterials	and Mfg Informat		
Supplier Information																	
Company Name *	uthority	Respo	sponse Date * Response Document ID														
Anaren Microwave						2018-	04-10										
Contact Name * Title - Contact				Phone - Contact *			- Contac	t *									
Sarvesh Nair Project Enginee			315-432-8909			sarve	sh.nair@	anaren	.com	Dup	licate	Contact -> A	uthor	ized Rep	oresentative		
Authorized Representative * Title - Representative			9	Phone - Representative *			Email - Representative *				Supplier Comments or URL for Additional Information						
Sarvesh Nair Project Engineer		Project Engineer		315-432-890	9	sarvesh.nair@anaren.com											
Requester Item Number		Mfr Item Number		Mfr Item Name	Effectiv	/e Date	Version Manufa		facturing Site		Weight *	UON	М	Unit Type			
		1P520S			2018-04-10 B		В	East S	Syracuse		0.14686515	g		Each			
Alternate Recommendation						Α		Alterna	Iternate Item Com				<u> </u>		J		
Manufacturing Process	s Inf	ormation		L													
Terminal Plating / Grid Array Material Terminal			Terminal Ba	Base Alloy J-STD-020 MSL Ra			ting Peak Process Body Tem			rature Max	Time at	Peak Tempera	ture N	Number o	f Reflow Cycles		
• •			CU Alloy	y 1			260					30 secon	nds 3	3			
Comments Compliant to RoHS Direct	tive :	2011/65/EU and 201	5/863														

Save the fields in Import fields from a Clear all of the Lock the fields on this **Export Data** Import Data Reset Form Lock Supplier Fields fields on this form this form to a file file into this form form to prevent changes **RoHS Material Composition Declaration Declaration Type *** Detailed Rohs Directive Rohs Definition: Quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury, Hexavalent Chromium, Polybrominated Biphenvls (PBB). Polybrominated Diphenyl Ethers (PBDE) and quantity limit of 0.01% by mass (100 PPM) of homogeneous material for Cadmium 2002/95/EC Please indicate whether any homogeneous material (as defined by the RoHS Directive, EU 2002/95/EC and implemented by the laws of the European Union member states) of the part identified on this form contains lead, mercury, cadmium, hexavalent chromium, polybrominated biphenyls and/or polybrominated diphenyl ethers (each a "RoHS restricted substance") in excess of the applicable quantity limit identified above. If a homogeneous material within the part contains a RoHS restricted substance in excess of an applicable quantity limit, please indicate below which, if any, RoHS exemption you believe may apply. If the part is an assembly with lower level components, the declaration shall encompass all such components. Supplier certifies that it gathered the information it provides in this form using appropriate methods to ensure its accuracy and that such information is true and correct to the best of its knowledge and belief, as of the date that Supplier completes this form. Supplier acknowledges that Company will rely on this certification in determining the compliance of its products with European Union member state laws that implement the RoHS Directive. Company acknowledges that Supplier may have relied on information provided by others in completing this form, and that Supplier may not have independently verified such information. However, in situations where Supplier has not independently verified information provided by others, Supplier agrees that, at a minimum, its suppliers have provided certifications regarding their contributions to the part, and those certifications are at least as comprehensive as the certification in this paragraph. If the Company and the Supplier enter into a written agreement with respect to the identified part, the terms and conditions of that agreement, including any warranty rights and/or remedies provided as part of that agreement, will be the sole and exclusive source of the Supplier's liability and the Company's remedies for issues that arise regarding information the Supplier provides in this form. In the absence of such written agreement, the warranty rights and/or remedies of Supplier's Standard Terms and Conditions of Sale applicable to suchpart shall apply. 1 - Item(s) does not contain RoHS restricted substances per the definition above Supplier Acceptance * Accepted **RoHS Declaration *** Exemptions: If the declared item does not contain RoHS restricted substances per the definition above except for defined RoHS exemptions, then select the corresponding response in the RoHS Declaration above and choose all applicable exemptions.

Decl	aration	Signature	
DCC	aration	Oignature	

Instructions: Complete all of the required fields on all pages of this form. Select the "Accepted" on the Supplier Acceptance drop-down. This will display the signature area. Digitally sign the declaration (if required by the Requester) and click on Submit Form to have the form returned to the Requester.

Supplier Digital Signature

Homogeneous Material Composition Declaration for Electronic Products

Subltem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

Line Functions: +I Inserts a New Item /SubItem +M Inserts a new Material +C Inserts a new Substance Category +S Inserts a new Substance - Deletes the element line

	Item/SubItem		Homogeneous	Weight	Unit of		Level	Substance Category			Substance	CAS	Evemp	Weight	Unit of	Tolerance		PPM
	Name		Material	weight	Measure		Level	Substance Category			Substance	CAS	Exempt	weight	Measure	-	- + '	
+1 -1	1P520S	+M -M	Tin Plating	0.00011	0 g	+C -C	Supplier	Tin Plating	+S	-S	Tin (Sn)	7440-31-5		0.000110	g			1,000,0
		+M -M	Copper Plating	0.01825	2 g	+C -C	Supplier	Copper Plating	+S	-\$	Copper (Cu)	7440-50-8		0.018252	g			1,000,0
		+M -M	Copper Cladding	0.02217	2 g	+C -C	В	Arsenic/Arsenic Comp	+S	Ģ	Arsenic	7440-38-2		0.000014	g			650.14
						+C -C	Supplier	Copper Cladding	+S	-S	Chromium (Cr) (non-he	7440-47-3		0.000002	g			100.40
						+C -C	Supplier	Copper Cladding	+S	-S	Copper (Cu)	7440-50-8		0.022134	g			998,24
						+C -C	Supplier	Copper Cladding	+S	-S	Zinc (Zn)	7440-66-6		0.000022	g			999.06
						+C -C	Supplier	Copper Cladding	+S	-S	Chromium (Cr) (hexava	18540-29-9		0.000000	g			1.2551
		+M -M	Dielectric	0.10199	5 g	+C -C	Supplier	Dielectric	+S	-S	Titanium dioxide (TiO2)	13463-67-7		0.042049	g			412,26
						+C -C	Supplier	Dielectric	+S	-S	Silica Fused (SiO2)	60676-86-0		0.026706	g			261,84
						+C -C	Supplier	Dielectric	+S	-S	Polytetrafluoroethylene	9002-84-0		0.032933	g			322,88
						+C -C	Supplier	Dielectric	+S	-S	Proprietary/Unknown	Proprietary		0.000305	g			3,000
		+M -M	Prepreg	0.00433	3 g	+C -C	Supplier	Prepreg	+S	-S	Brominated Bisphenol A	26265-08-07		0.003250	g			750,00
				<u> </u>	·	+C -C	Supplier	Prepreg	+S	-S	Fiberglass	65997-17-3		0.001083	g			250,00