ADDREATION OR MISOTING	© Co	terial Compo pyright 2005. IPC, Bannoc ternational and Pan-Ameri	kburn, Illinois	. All rights reserv	ition with lowe	r level	parts, the	declaratio	n encompa	sses all lowe	r level mate		the item is an assembly the manufacturer has seclaration.		
1752-2 1.1 IPC Web Site for Information on IPC-http://www.ipc.org/IPC-175x				7 11 02 Otanidara			m Type * tribute	-	Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materials and Mfg Inform						
Supplier Information															
Company Name * Company Unique				Unique ID A	uthority	Response Date *			Res	sponse Docu	ment ID				
Anaren Microwave						08-12									
Contact Name *	Title - Contact		Phone - Contact *			Email - Contact *			Dunlingto	Contoot	. A	Danmaantativa			
Lakshmi Achutha		Project Engineer		315-432-8909		lakshmi.achutha@anaren.co			en.com	Duplicate	Contact	-> Authorized	Representative		
Authorized Representative * Title - Representative			е	Phone - Representative *			l - Represe	entative	* Sur	plier Comm	ents or URI	for Additiona	I Information		
Lakshmi Achutha	Project Engineer		315-432-890	15-432-8909 I			kshmi.achutha@anaren.com								
Requester Item Number		Mfr Item Number		Mfr Item Name	Effecti	ve Date	Version	Manufactu	ring Site	Weight *	UOM	Unit Type			
		X4C09F1-30S		30dB Directional Coupler		2015-03-12		A	East Syra	cuse	0.066	g	Each		
Alternate Recommendation					Altern		Alternate	e Item Comments			·				
Manufacturing Proces	s In	formation													
Terminal Plating / Grid Array Material Terminal E			Terminal B	Base Alloy J-STD-020 MSL Ratir			ting Peak Process Body Tem			e Max Time a	at Peak Tem	perature Number of Reflow Cycles			
Tin (Sn) - immersion CU A			CU Alloy	y 1			260 (30 se	econds 3			

Save the fields in this form to a file	Export Data	Import fields from a file into this form	rt Data	Clear all of the fields on this form	Reset Form	Lock the fields on this form to prevent changes	Lock Supplier Fields
RoHS Material Co	mposition Declaratio	n				Declaration Type *	Simplified
		nit of 0.1% by mass (1000 PPM) ers (PBDE) and quantity limit of 0					inated Biphenyls (PBB),
ate that Supplier completes t upplier may have relied on ir upplier agrees that, at a mini ritten agreement with respec	his form. Supplier acknowledges formation provided by others in commum, its suppliers have provided	is form concerning RoHS restrictive substanthat Company will rely on this certification in ompleting this form, and that Supplier may no certifications regarding their contributions to ad conditions of that agreement, including an provides in this form.	determining the co ot have independe the part, and those	ompliance of its products with ntly verified such information e certifications are at least as	European Union member state However, in situations where S comprehensive as the certificati	laws that implement the RoHS Dire supplier has not independently verifi on in this paragraph. If the Compar	ctive. Company acknowledges that ed information provided by others, ny and the Supplier enter into a
RoHS Declaration *	1 - Item(s) does not contain Ro	HS restricted substances per the definitio	n above			Supplier Acceptance * Acc	epted
Exemptions: If the dec bove and choose all ap		RoHS restricted substances per th	ne definition abo	ove except for defined	RoHS exemptions, then so	elect the corresponding resp	onse in the RoHS Declaration
Declaration Signa	iture						
nstructions: Compl	ete all of the required fie	lds on all pages of this form. So	elect the "Acc	cepted" on the Suppli	er Acceptance drop-do	wn. This will display the s	gnature area. Digitally sign

Declaration Signature	
Instructions: Complete all of the required fields on all pages of this form.	Select the "

the declaration (if required by the Requester) and click on Submit Form to have the form returned to the Requester.

Supplier Digital Signature

Homogeneous Material Composition Declaration for Electronic Products

Subltem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

Line Functions: +I Inserts a New Item /SubItem +M Inserts a new Material +C Inserts a new Substance Category +S Inserts a new Substance - Deletes the element line

	Item/SubItem		Homogeneous	Weight	Unit of		Level	Substance Category			Substance	CAS	Evemnt	Weight	Unit of Measure	Tolerance		PPM
	Name		Material	Weight	Measure		Level	Cubstance Category			Substance	CAS	Exempt	weignt	Measure	-	+	1 1 101
+1 -1	X4C09F1-30S	+M -M	Dielectric	0.0404	g	+C -	Supplier		+S	-S	Tetrafluoroethylene hex	25067-11-2		0.00357	g			88,356
	-					+C -	Supplier		+S	-s	Polytetrafluoroethylene	9002-84-0		0.0181	g			449,06
						+C -	Supplier		+S	-s	Proprietary/Unknown	Proprietary		0.000922	g			22,845
						+C -	Supplier		+S	-s	Ceramic Filler	Proprietary		0.0177	g			439,73
		+M -M	Copper Cladding	0.0102	g	+C -	Supplier		+S	-S	Copper (Cu)	7440-50-8		0.0102	g			1,000,0
		+M -M	Copper Plating	0.0149	g	+C -	Supplier		+S	-S	Copper (Cu)	7440-50-8		0.0149	g			1,000,0
		+M -M	Tin Plating	0.00025	6 g	+C -	Supplier		+S	-S	Tin (Sn)	7440-31-5		0.000256	g	·		1,000,0

Form enabled by Adobe