13353MTICH COMMERTING	© Cop	terial Compo pyright 2005. IPC, Bannoc ternational and Pan-Ameri	kburn, Illinois	. All rights reserve	tion with lower	level p	arts, the	declaration	encor		er level mate	erials for	which th	item is an assembly e manufacturer has eclaration.		
1/52-2 1.1		Web Site for Informat		-1752 Standa	rd	Form Type * Distribute			Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materials and Mfg Informa							
Supplier Information																
Company Name *	Company Unique ID	Unique ID Au	ıthority	Response Date *			Response Doc									
Anaren Microwave						2018-	03-12									
Contact Name * Title - Contact				Phone - Contact *			- Contac	t *		- "						
Paul Stockwell Project Engineer				315-432-8909			tockwell	@anaren	.com	Duplicate	Contact	-> Autho	rized Re	presentative		
Authorized Representative * Title - Representative			e	Phone - Representative *			- Repres	entative '	*	Supplier Comments or URL for Additional Information						
Paul Stockwell Project Engineer				315-432-8909			tockwell	@anaren	.com							
Requester Item Number	Mfr Item Number		Mfr Item Name	Effective Date Version			Manufa	acturing Site	Weight *	UC	M	Unit Type				
	XC0900A-10S			10DB COUPL	_ER	2017-0	03-09	D	East S	yracuse	0.549	g		Each		
Alternate Recommendat	Alternate Recommendation				Alternat			Item Co	m Comments							
Manufacturing Process	s Inf	formation														
Terminal Plating / Grid Array Material Terminal B			ase Alloy	ating Peak Process Body Tempe			Temper	rature Max Time	at Peak Tem	perature	Number c	of Reflow Cycles				
Tin (Sn) - immersion CU Alloy			,	1			260			30 se	econds	3				
Comments Compliant to RoHS Direct	tive :	2011/65/EU and 201	5/863													

Save the fields in this form to a file	Export Data	Import fields from a file into this form	Import Data	Clear all of the fields on this form	Reset Form	Lock the fields on this form to prevent changes	Lock Supplier Fields
RoHS Material Co	mposition Declaratio	n				Declaration Type *	Simplified
						ated Biphenyls (PBB), Polybrominat 00 PPM) of homogeneous material	
ate that Supplier completes t upplier may have relied on in upplier agrees that, at a mini ritten agreement with respec	his form. Supplier acknowledges formation provided by others in commum, its suppliers have provided	that Company will rely on this completing this form, and that Sucertifications regarding their condictions of that agreement	ertification in determining the couplier may not have independent industributions to the part, and those	compliance of its products with ently verified such information se certifications are at least as	European Union member state However, in situations where somethen sive as the certification.	n is true and correct to the best of its I laws that implement the RoHS Direct Supplier has not independently verified ion in this paragraph. If the Company ie sole and exclusive source of the Su	ive. Company acknowledges that d information provided by others, and the Supplier enter into a
RoHS Declaration *	1 - Item(s) does not contain Ro	HS restricted substances per	the definition above			Supplier Acceptance * Acce	pted
xemptions: If the decl bove and choose all ap		RoHS restricted substar	ices per the definition ab	ove except for defined	RoHS exemptions, then so	elect the corresponding respon	nse in the RoHS Declaration
Declaration Signa	iture						
nstructions: Comple	ete all of the required fie	lds on all pages of this	form. Select the "Ac	cepted" on the Suppli	er Acceptance drop-do	wn. This will display the sig	nature area. Digitally sign

the declaration (if required by the Requester) and click on Submit Form to have the form returned to the Requester.

Supplier Digital Signature

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

Line Functions: +I Inserts a New Item /SubItem +M Inserts a new Material +C Inserts a new Substance Category +S Inserts a new Substance - Deletes the element line

	Item/SubItem		Homogeneous	Woight	Unit of			Level	Substance Category			Substance	CAS	Exempt	vveiant	Unit of Measure	Tolerance		PPM
	Name		Material	vveignt	Unit of Measure			Level	abstance dategory		Substance		CAS				-	+	1 1 141
+1 -1	XC0900A-10S	+M -M	Tin Plating	0.00043	8 g	+C -	-c	Supplier	Tin (Sn)	+S	-S	Tin (Sn)	7440-31-5		0.000438	g			1,000,0
		+M -M	Copper Plating	0.04858	9 g	+C -	-c	Supplier	Copper (Cu)	+S	-S	Copper (Cu)	7440-50-8		0.048589	g			1,000,0
		+M -M	Copper Cladding	0.10203	7 g	+C -	-C	В	Arsenic/Arsenic Comp	+S	-S	Arsenic	7440-38-2		0.000066	g			650
						+C	-C	Supplier	Chromium (Cr) (non-	+S	-S	Chromium (Cr) (non-he	7440-47-3		0.000010	g			100
						+C	-C	Supplier	Copper (Cu)	+S	-S	Copper (Cu)	7440-50-8		0.101858	g			998,24
						+C	-C	Supplier	Zinc (Zn)	+S	-S	Zinc (Zn)	7440-66-6		0.000101	g			999
						+C	-C	Supplier	Chromium (Cr) (hexa	+S	-S	Chromium (Cr) (hexava	18540-29-9		0.000000	g			1
		+M -M	Dielectric	0.39803	1g	+C -	-C	Supplier	Titanium dioxide (TiO	+S	-S	Titanium dioxide (TiO2)	13463-67-7		0.008778	g			22,054
						+C	-C	Supplier	Silica Fused (SiO2)	+S	-S	Silica Fused (SiO2)	60676-86-0		0.111579	g			280,32
						+C	-C	Supplier	Fiberglass	+S	-S	Fiberglass	65997-17-3		0.075681	g			190,14
						+C	-C	Supplier	Polytetrafluoroethyle	+S	-S	Polytetrafluoroethylene	9002-84-0		0.201378	g			505,93
						+C	-C	Supplier	Proprietary/Unknown	+S	-S	Proprietary/Unknown	Proprietary	·	0.000613	g			1,542