LOCALITICAL COMMISSIONIC	© Co	terial Compo pyright 2005. IPC, Bannoc aternational and Pan-Ameri	kburn, Illinois	. All rights reserv	tion with lowe	r level p	oarts, the	declaration	encor		er level mat	erials for	which th	item is an assembly e manufacturer has eclaration.	
1/32-2 .		Web Site for Informat		-1752 Standa	ırd	Form Type * Distribute			Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materials and Mfg Informat						
Supplier Information															
Company Name *		Company Unique ID		Unique ID Au	uthority	Resp	onse Date	e *		Response Doo	ument ID				
Anaren Microwave						2016-10-28									
Contact Name * Title - Contact				Phone - Contact *			- Contac	t *							
Paul Stockwell Project Engineer				315-432-8909			stockwell	@anaren	.com	Duplicate	e Contact	-> Autho	rized Re	presentative	
Authorized Representative * Title - Representative			9	Phone - Representative *		Email	Email - Representative *			Supplier Comments or URL for Additional Information					
Paul Stockwell Project Engineer			315-432-8909			stockwell	@anaren	.com							
Requester Item Number		fr Item Number		Mfr Item Name		Effectiv	ve Date Version M		Manufa	acturing Site	Weight *	UC	DM	Unit Type	
		XC1900A-20S		Directional Co	oupler, 20 dB	2004-	01-19	A I	East S	yracuse	0.497	g		Each	
Alternate Recommendate	tion				Altern		Alternate I	nate Item Comments			ļo_		I		
Manufacturing Proces	s In	formation		L		1									
Terminal Plating / Grid Array M	/lateri	al	Terminal Ba	ase Alloy	J-STD-020 MSL R	ating	Peak Proc	ess Body	Гетрег	rature Max Time	at Peak Tem	perature	Number o	of Reflow Cycles	
, ,			CU Alloy	•		260 (30 seconds 3				-		
Comments Compliant to RoHS Direct	tive	2011/65/EU and 201	5/863												

Save the fields in this form to a file	Export Data	Import fields from a file into this form	rt Data	Clear all of the fields on this form	Reset Form	Lock the fields on this form to prevent changes	Lock Supplier Fields
RoHS Material Co	mposition Declaratio	n				Declaration Type *	Simplified
		nit of 0.1% by mass (1000 PPM) ers (PBDE) and quantity limit of 0					inated Biphenyls (PBB),
ate that Supplier completes t upplier may have relied on ir upplier agrees that, at a mini ritten agreement with respec	his form. Supplier acknowledges formation provided by others in commum, its suppliers have provided	is form concerning RoHS restrictive substanthat Company will rely on this certification in ompleting this form, and that Supplier may no certifications regarding their contributions to ad conditions of that agreement, including an provides in this form.	determining the co ot have independe the part, and those	ompliance of its products with ntly verified such information e certifications are at least as	European Union member state However, in situations where S comprehensive as the certificati	laws that implement the RoHS Dire supplier has not independently verifi on in this paragraph. If the Compar	ctive. Company acknowledges that ed information provided by others, ny and the Supplier enter into a
RoHS Declaration *	1 - Item(s) does not contain Ro	HS restricted substances per the definitio	n above			Supplier Acceptance * Acc	epted
Exemptions: If the dec bove and choose all ap		RoHS restricted substances per th	ne definition abo	ove except for defined	RoHS exemptions, then so	elect the corresponding resp	onse in the RoHS Declaration
Declaration Signa	iture						
nstructions: Compl	ete all of the required fie	lds on all pages of this form. So	elect the "Acc	cepted" on the Suppli	er Acceptance drop-do	wn. This will display the s	gnature area. Digitally sign

Declaration Signature	
Instructions: Complete all of the required fields on all pages of this form.	Select the "

the declaration (if required by the Requester) and click on Submit Form to have the form returned to the Requester.

Supplier Digital Signature

Homogeneous Material Composition Declaration for Electronic Products

Subltem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

Line Functions: +I Inserts a New Item /SubItem +M Inserts a new Material +C Inserts a new Substance Category +S Inserts a new Substance - Deletes the element line

	Item/SubItem		Homogeneous	Weight	Unit of			Level	Substance Category			Substance	CAS	Evennt	Weight	Unit of	Tolerance		PPM
	Name		Material	weight	Measure			Levei	Substance Category			Substance	CAS	Exempt	weight	Measure	-	+	1 IVI
+1 -1	XC1900A-20S	+M -M	Dielectric	0.369	g	+C	-C	Supplier		+S	Ġ	Titanium dioxide (TiO2)	13463-67-7		0.051	g			138,03
	-	_				+C	-C	Supplier		+S	-S	Silica Fused (SiO2)	60676-86-0		0.174	g			472,29
						+C	-C	Supplier		+S	-S	Polytetrafluoroethylene	9002-84-0		0.143	g			386,98
						+C	-C	Supplier		+S	-S	Proprietary/Unknown	Proprietary		0.00099	g			2,683
		+M -M	Copper Cladding	0.0673	g	+C	-C	В	Arsenic/Arsenic Comp	+S	-s	Arsenic	7440-38-2		0.000043	g			650
						+C	-C	Supplier		+S	-s	Chromium (Cr) (non-he	7440-47-3		0.000006	g			100
						+C	-C	Supplier		+S	-s	Copper (Cu)	7440-50-8		0.0672	g			998,24
						+C	-C	Supplier		+S	-s	Zinc (Zn)	7440-66-6		0.000067	g			999
						+C	-C	Supplier		+S	-s	Chromium (Cr) (hexava	18540-29-9		0.000000	g			1
		+M -M	Copper Plating	0.0605	g	+C	-c	Supplier		+S	-S	Copper (Cu)	7440-50-8		0.0605	g			1,000,0
		+M -M	Tin Plating	0.00043	4 g	+C	-C	Supplier		+S	-S	Tin (Sn)	7440-31-5		0.000434	g			1,000,0