10000MTION CONNECTING	© Cop	terial Compo byright 2005. IPC, Bannock ternational and Pan-Americ	kburn, Illinois	. All rights reserv	tion with lowe	r level	parts, the	declaration	encor	mpasses all lov	wer level mat		the item is an assembly the manufacturer has declaration.			
1/32-2 1.1		Veb Site for Informati		-1752 Standa	ırd	Form Type * Distribute			Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materials and Mfg Information							
Supplier Information																
Company Name * Company Unique ID				Unique ID Authority			onse Date	e *		Response Do	cument ID					
Anaren Microwave						2018-01-30										
Contact Name *	Title - Contact		Phone - Contact *			Email - Contact *			Describeration	ha Oanata at	> A4b	Dammaration				
Paul Stockwell	Project Engineer		315-432-8909		paul.stockwell@anaren.com			com	Duplicat	le Contact	-> Authorized	Representative				
Authorized Representativ	Fitle - Representative		Phone - Representative *		Email - Representative *				Supplier Comments or URL for Additional Information							
Paul Stockwell		Project Engineer		315-432-8909		paul.stockwell@anaren.com			com							
Requester Item Number		Mfr Item Number		Mfr Item Name	Effective Date		Version I	Manufa	acturing Site	Weight *	UOM	Unit Type				
	X3C21P1-04S			Directional C	2015-09-11 E		в Е	East Syracuse		0.137	g	Each				
Alternate Recommendation							Alternate Iter			Comments						
Manufacturing Proces	s Inf	ormation														
Terminal Plating / Grid Array Material Terminal B			Base Alloy J-STD-020 MSL Rati			ting Peak Process Body Tempe			erature Max Time at Peak Temperature Number of Reflow Cyc							
Tin (Sn) - immersion CU Alloy			y 1			260			30 seconds 3							
Comments					1		1					ļ.				

Save the fields in this form to a file	Export Data	Import fields from a file into this form	Import Data	Clear all of the fields on this form	Reset Form	Lock the fields on this form to prevent changes	Lock Supplier Fields
RoHS Material Co	mposition Declaratio	n				Declaration Type *	Simplified
						ated Biphenyls (PBB), Polybrominat 00 PPM) of homogeneous material	
ate that Supplier completes t upplier may have relied on in upplier agrees that, at a mini ritten agreement with respec	his form. Supplier acknowledges formation provided by others in commum, its suppliers have provided	that Company will rely on this completing this form, and that Sucertifications regarding their condictions of that agreement	pertification in determining the coupplier may not have independent intributions to the part, and those	compliance of its products with ently verified such information se certifications are at least as	European Union member state However, in situations where somethen sive as the certification.	n is true and correct to the best of its I laws that implement the RoHS Direct Supplier has not independently verified ion in this paragraph. If the Company e sole and exclusive source of the Su	ve. Company acknowledges that I information provided by others, and the Supplier enter into a
RoHS Declaration *	1 - Item(s) does not contain Ro	HS restricted substances per	the definition above			Supplier Acceptance * Acce	pted
xemptions: If the decl bove and choose all ap		RoHS restricted substar	nces per the definition ab	ove except for defined	RoHS exemptions, then so	elect the corresponding respon	nse in the RoHS Declaration
Declaration Signa	iture						
nstructions: Comple	ete all of the required fie	lds on all pages of this	form. Select the "Ac	cepted" on the Suppl	er Acceptance drop-do	wn. This will display the sig	nature area. Digitally sign

the declaration (if required by the Requester) and click on Submit Form to have the form returned to the Requester.

Supplier Digital Signature

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

Line Functions: +I Inserts a New Item /SubItem +M Inserts a new Material +C Inserts a new Substance Category +S Inserts a new Substance - Deletes the element line

Item/SubItem			Homogeneous	Weight	Unit of		Level	Substance Category			Substance	CAS	Evemnt	Weight	Unit of	Tolerance		PPM	
	Name		Material	weight	Measure			Level	Substance Category			Substance	OA3	Exempt	vveigiit	Measure	-	+	
+1 -1	X3C21P1-04S	+M -M	Dielectric	0.097522	2 g	+C	-C	Supplier	Tetrafluoroethylene h	+S	-S	Tetrafluoroethylene hex	25067-11-2		0.006752	g			69,240
						+C	-ပ	Supplier	Polyimide (PI)	+S	-S	Polyimide (PI)	60842-76-4		0.004397	g			45,089
						+C	-ပ	Supplier	Polytetrafluoroethyle	+S	-S	Polytetrafluoroethylene	9002-84-0		0.055770	g			571,87
						+C	-ပ	Supplier	Proprietary/Unknown	+S	-S	Proprietary/Unknown	Proprietary		0.001804	g			18,504
						+C	-C	Supplier	Ceramic Filler	+S	-s	Ceramic Filler	Proprietary		0.028798	g			295,29
		+M -M	External Copper	0.033792	2 g	+C	-C	В	Arsenic/Arsenic Comp	+S	-S	Arsenic	7440-38-2		0.000004	g			145
						+C	-ပ	Supplier	Chromium (Cr) (non-	+S	-S	Chromium (Cr) (non-he	7440-47-3		0.000000	g			22
						+C	-ပ	Supplier	Copper (Cu)	+S	-S	Copper (Cu)	7440-50-8		0.033779	g			999,61
						+C	-ပ	Supplier	Zinc (Zn)	+S	-S	Zinc (Zn)	7440-66-6		0.000007	g			223
						+C	-ပ	Supplier	Chromium (Cr) (hexa	+S	-S	Chromium (Cr) (hexava	18540-29-9		0.000000	g			0
		+M -M	Internal Copper	0.005572	2 g	+C	-C	Supplier	Copper (Cu)	+S	-S	Copper (Cu)	7440-50-8		0.005572	g			1,000,0
		+M -M	Tin Plating	0.000154	g	+C	-C	Supplier	Tin (Sn)	+S	-S	Tin (Sn)	7440-31-5		0.000154	g			1,000,0