	Aterial Compo © Copyright 2005. IPC, Banno oth international and Pan-Ame	ckburn, Illinois	s. All rights reserv	tion with low	er level	parts, the	declaratio	n encor	mpasses al		naterials fo	r which	ne item is an assembly the manufacturer has declaration.		
1/32-2 1.1	PC Web Site for Informa ttp://www.ipc.org/IPC-		C-1752 Standa	ard					aration Class * s 6 - RoHS Yes/No, Homogeneous Materials and Mfg Informat						
Supplier Information															
Company Name *	Company Unique ID	)	Unique ID A	uthority	Resp	onse Dat	e *		Response Document ID						
Anaren Microwave					2018-	-02-10									
Contact Name * Title - Contact			Phone - Contact *			Email - Contact *				lianta Conta	st s ∆uth	orizod P	oprocontativo		
Sarvesh Nair Project Engineer			315-432-8909			sarvesh.nair@anaren.com				licate Contac	51 -> Autri		epresentative		
Authorized Representative * Title - Representative			Phone - Representative *			Email - Representative *				Supplier Comments or URL for Additional Information					
Sarvesh Nair	Project Engineer		315-432-890	sarve	sarvesh.nair@anaren.com										
Requester Item Number	Mfr Item Number		Mfr Item Name	Effecti	ive Date	Version Manufa		acturing Site	Weight	* U	OM	Unit Type			
	1P503AS		3DB PICO		2018-	02-10	С			0.10988	33 g		Each		
Alternate Recommendati	on				Alternate Iten			omments							
Manufacturing Process	Information														
Terminal Plating / Grid Array M	aterial	Terminal B	ase Alloy	J-STD-020 MSL	Rating	Peak Proc	cess Body	Temper	rature Max	Time at Peak Te	emperature	Number	of Reflow Cycles		
N/A	/ 1			260			C 30 seco			3					
Comments Compliant to RoHS 2 Dire	ctive 2011/65/EU of the	e Europear	n Parliament	and of the Cour	ncil of 8	June 201	1 & Com	missic	on Delegat	ed Directive 2	2015/863/	EU of 31	March 2015.		

Save the fields in this form to a file	Export Data	Import fields from a file into this form	Import Data	Clear all of the fields on this form	Reset Form	Lock the fields on this form to prevent changes	Lock Supplier Fields
<b>RoHS Material Con</b>	mposition Declarat	ion				Declaration Type *	Custom
		imit of 0.1% by mass (100 hers (PBDE) and quantity l				valent Chromium, Polybromir Cadmium	nated Biphenyls (PBB),
RoHS 2 (Directive 2011/65/EU (DIBP).	& 2015/863/EU) Definition Add	dendum: Quantity limit of 0.1% by ma	ass (1000 PPM) in homog	eneous material for: Bis(2-ethy	ihexyl) phthalate (DEHP), Butyl	benzyl phthalate (BBP), Dibutyl phthala	ate (DBP), Diisobutyl phthalate
date that Supplier completes the Supplier may have relied on in Supplier agrees that, at a mining	his form. Supplier acknowledge formation provided by others in mum, its suppliers have provide t to the identified part, the terms	es that Company will rely on this cert completing this form, and that Supp ed certifications regarding their contri and conditions of that agreement, ir	ification in determining the lier may not have indepen ibutions to the part, and th	e compliance of its products wit dently verified such information ose certifications are at least a	h European Union member stat n. However, in situations where s comprehensive as the certifica	ion is true and correct to the best of its k te laws that implement the RoHS Directi e Supplier has not independently verified ation in this paragraph. If the Company the sole and exclusive source of the Sup	ve. Company acknowledges that I information provided by others, and the Supplier enter into a
RoHS Declaration *	1 - Item(s) does not contain	RoHS restricted substances per th	e definition above			Supplier Acceptance * Acce	pted
Exemptions: If the declar above and choose all app		in RoHS restricted substance	es per the definition a	above except for defined	RoHS exemptions, then	select the corresponding respor	nse in the RoHS Declaration
Declaration Signa	ture						
-	-	ields on all pages of this f and click on Submit Form				own. This will display the sig	nature area. Digitally sign
Supplier Digital Signat	ture						

## Homogeneous Material Composition Declaration for Electronic Products

Subltem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

Line Functions: +I Inserts a New Item /SubItem +M Inserts a new Material +C Inserts a new Substance Category +S Inserts a new Substance - Deletes the element line

	Item/SubItem			Homogeneous	Weight	Unit of			Level	Substance Category			Substance	CAS	Exempt	Woight	Unit of Measure	Tolerance		PPM
	Name			Material	weight	Measure			Level				Substance	CAS				-	+	
+  -	1P503AS	+M	-М	Tin Plating	0.00011	6g	+C	-C	Supplier	Tin (Sn)	+S	-S		7440-31-5		0.000116	g			1,000,0
		+M	-М	Copper Plating	0.01282	5g	+C	-C	Supplier	Copper (Cu)	+S	-S		7440-50-8		0.012825	g			1,000,0
		+M	-М	Copper Cladding	0.01282	5g	+C	-C	Supplier	Copper (Cu)	+S	-S		7440-50-8		0.017418	g			1,000,0
		+M	-М	Dielectric	0.06532	2g	+C	-C	Supplier	Fiberglass	+S	-S		65997-17-3		0.035752	g			547,32
							+C	-C	Supplier	Resin	+S	-S		Proprietary		0.028986	g			443,74
							+C	-C	Supplier	Ceramic Filler	+S	-S		Proprietary		0.000583	g			8,936
		+M	-М	Prepreg	0.00485	9g	+C	-C	Supplier	Fiberglass	+S	-S		65997-17-3		0.001360	g			280,00
							+C	-C	Supplier	Resin	+S	-S		Proprietary		0.003498	g			720,00