ASSOCIATION CONNECTING ELECTRONICS INDUSTRIES®	© Co	terial Compo pyright 2005. IPC, Bannoo nternational and Pan-Amer	kburn, Illinois	. All rights reserv	tion with lower	level p	arts, the	declaratio	n encon	npasses	all lower	level mate	erials for	which th	e item is an assembly ne manufacturer has leclaration.	
1752-2 1.1	52-2 1.1 IPC Web Site for Information on IPC-1752 Standard http://www.ipc.org/IPC-175x								Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materials and Mfg Informa							
Supplier Information																
Company Name * Company Unique ID				Unique ID Authority			Response Date *				se Docun	nent ID				
Anaren Microwave				2018-0	02-14											
Contact Name *	Title - Contact	itle - Contact		Phone - Contact *			t *									
Casey Hennigan	Project Engineer		315-432-890	casey.hennigan@anaren.com				Du	uplicate	Contact	-> Autho	orized Re	presentative			
Authorized Representati	Title - Representativ	itle - Representative		Phone - Representative *		Email - Representative *			Supplier	Comme	nts or URI	L for Add	ditional Ir	formation		
Casey Hennigan Project Engineer			315-432-8909			casey	casey.hennigan@anaren.com									
Requester Item Number		Mfr Item Number		Mfr Item Name)	Effectiv	e Date	Version Manufa		facturing Site		Weight *	UC	DM	Unit Type	
		C0727J5003AHF		3DB COUPLI	2017-0)8-21	A	Syarcuse, N			0.005725	g		Each		
Alternate Recommend	nendation				Alternate			Item Co	m Comments							
Manufacturing Proces	ss In	formation														
Terminal Plating / Grid Array Material Terminal B				ase Alloy	ating	ting Peak Process Body Tem			ature Ma	ax Time at	Peak Tem	perature	Number	of Reflow Cycles		
Nickel/Gold (Ni/Au) - ENIG CU Alloy				<u> </u>	-					30 se		econds 3		-		
Comments Compliant to RoHS 2 Dir	rectiv	re 2011/65/EU of the	Europear	n Parliament	and of the Coun	cil of 8	June 201	1 & Com	ımissio	n Deleg	ated Dire	ective 20°	15/863/E	EU of 31	March 2015.	

Save the fields in Import fields from a Clear all of the Lock the fields on this **Export Data** Import Data Reset Form Lock Supplier Fields this form to a file file into this form fields on this form form to prevent changes **RoHS Material Composition Declaration Declaration Type *** Custom Rohs Directive Rohs Definition: Quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury, Hexavalent Chromium, Polybrominated Biphenvls (PBB). Polybrominated Diphenyl Ethers (PBDE) and quantity limit of 0.01% by mass (100 PPM) of homogeneous material for Cadmium 2002/95/EC RoHS 2 (Directive 2011/65/EU & 2015/863/EU) Definition Addendum: Quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Bis(2-ethylhexyl) phthalate (DEHP), Butyl benzyl phthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP). Supplier certifies that it gathered the information it provides in this form concerning RoHS restrictive substances using appropriate methods to ensure its accuracy and that such information is true and correct to the best of its knowledge and belief, as of the date that Supplier completes this form. Supplier acknowledges that Company will rely on this certification in determining the compliance of its products with European Union member state laws that implement the RoHS Directive. Company acknowledges that Supplier may have relied on information provided by others in completing this form, and that Supplier may not have independently verified such information. However, in situations where Supplier has not independently verified information provided by others, Supplier agrees that, at a minimum, its suppliers have provided certifications regarding their contributions to the part, and those certifications are at least as comprehensive as the certification in this paragraph. If the Company and the Supplier enter into a written agreement with respect to the identified part, the terms and conditions of that agreement, including any warranty rights and/or remedies provided as part of that agreement, will be the sole and exclusive source of the Supplier's liability and the Company's remedies for issues that arise regarding information the Supplier provides in this form. Supplier Acceptance * Accepted 1 - Item(s) does not contain RoHS restricted substances per the definition above **RoHS Declaration *** Exemptions: If the declared item does not contain RoHS restricted substances per the definition above except for defined RoHS exemptions, then select the corresponding response in the RoHS Declaration above and choose all applicable exemptions. **Declaration Signature**

Instructions: Complete all of the required fields on all pages of this form. Select the "Accepted" on the Supplier Acceptance drop-down. This will display the signature area. Digitally sign the declaration (if required by the Requester) and click on Submit Form to have the form returned to the Requester.

Supplier Digital Signature

Homogeneous Material Composition Declaration for Electronic Products

Subltem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

Line Functions: +I Inserts a New Item /SubItem +M Inserts a new Material +C Inserts a new Substance Category +S Inserts a new Substance - Deletes the element line

Item/SubItem			Homogeneous	Wainbt	Unit of			Laval	Substance Category			Cubatanaa	CAS	Evenue	Waight	Unit of	Tolerance		PPM
	Name		Material	Weight	Measure			Level	Substance Category			Substance	CAS	Exempt		Measure	-	+	PPIVI
+1 -1	C0727J5003AHF	+M -M	External Copper	0.00007	3 g	+C	-C	Supplier	Copper (Cu)	+S	-S	Silicon	7440-50-8		0.000073	g			1,000,0
	-	+M -M	External Dielectr	0.00049	7 g	+C	-C	Supplier	Tri-allyl-isocyanurate	+S	-S		1025-15-6		0.000061	g			123,00
						+C	-C	Supplier	Initiator	+S	-S		1068-27-5		0.000004	g			8,600
						+C	-C	Supplier	Silica Fused (SiO2)	+S	-S		60676-86-0		0.000264	g			530,00
						+C	-C	Supplier	Elastomer	+S	-S		9003-55-8		0.000025	g			51,900
						+C	-C	Supplier	Poly-phenylene oxide	+S	-S		92-71-7		0.000142	g			286,50
		+M -M	Internal Copper	0.00236	0 g	+C	-C	В	Arsenic/Arsenic Comp	+S	-S	Arsenic	7440-38-2		0.000001	g			650
						+C	-C	Supplier	Chromium (Cr) (non-	+S	-S		7440-47-3		0.000000	g			100
						+C	-C	Supplier	Copper (Cu)	+S	-S		7440-50-8		0.00236	g			998,24
						+C	-C	Supplier	Zinc (Zn)	+S	-S		7440-66-6		0.000002	g			999
		+M -M	Internal Dielectri	0.00279	1g	+C	-C	Supplier	Silica Fused (SiO2)	+S	-S		60676-86-0		0.00116	g			416,21
						+C	-C	Supplier	Polytetrafluoroethyle	+S	-S		9002-84-0		0.00125	g			446,88
						+C	-C	Supplier	Proprietary/Unknown	+S	-S		Proprietary		0.000077	g			27,860
						+C	-C	Supplier	Ceramic Filler	+S	-S		Proprietary		0.000304	g			109,03
		+M -M	Gold Plating	0.00000	0 g	+C	-C	Supplier	Gold (Au)	+S	-S		7440-57-5	·	0.000000	g			1,000,0
		+M -M	Nickel Plating	0.00000	3 g	+C	-C	Α	Lead/Lead Compound	+S	-S	Lead	7439-92-1		0	g			500
						+C	-C	Supplier	Nickel (Ni)	+S	-S		7440-02-0		0.000003	g			999,50