

The values presented below are estimates at the current revision, and it is derived from vendor supplied data. While Anaren strives for accurate reporting, due to product and process variations at both Anaren and our suppliers, the quoted values are our best estimates only, and not measured absolute values. Product specifications are subject to change without notice.

Material Declaration

Model - X3C06A4-03S Rev A

ROHS 2011/65/EU Compliant as of 7-Nov-2013



Total Mass (g)		0.526	3.95E-01	1.02E-01	2.78E-02
CAS	Material	Dielectric	External Copper Plating	Internal Copper	
	Tetrafluoroethylene hexafluoropropylene				
25067-11-2	rubber (FEP)	2.65E-02		0	0
60842-76-4	Polyimide (PI)	3.02E-02		0	0
7440-02-0	Nickel (Ni)	0		0	9.76E-07
7440-22-4	Silver (Ag)	0		0	3.37E-04
7440-31-5	Tin (Sn)	0		0	0
7440-38-2	Arsenic	0		0	2.93E-06
7440-47-3	Chromium (Cr) (non-hexavalent)	0		0	9.76E-07
7440-50-8	Copper (Cu)	0		1.02E-01	2.75E-02
7440-66-6	Zinc (Zn)	0		0	4.88E-06
9002-84-0	Polytetrafluoroethylene (PTFE)	2.19E-01		0	0
Proprietary	Proprietary/Unknown	7.08E-03		0	0
Proprietary	Ceramic Filler	1.13E-01		0	0

The values presented below are estimates at the current revision, and it is derived from vendor supplied data. While Anaren strives for accurate reporting, due to product and process variations at both Anaren and our suppliers, the quoted values are our best estimates only, and not measured absolute values. Product specifications are subject to change without notice.

Material Declaration

Model - X3C06A4-03S Rev A

ROHS 2011/65/EU Compliant as of 7-Nov-2013



Total Mass (g) 0.526 3.11E-04

CAS	Material	Tin Plating	Dielectric PPM	External Copper Plating PPM
	Tetrafluoroethylene hexafluoropropylene			
25067-11-2	rubber (FEP)	0	66,943	0
60842-76-4	Polyimide (PI)	0	76,259	0
7440-02-0	Nickel (Ni)	0	0	0
7440-22-4	Silver (Ag)	0	0	0
7440-31-5	Tin (Sn)	3.11E-04	0	0
7440-38-2	Arsenic	0	0	0
7440-47-3	Chromium (Cr) (non-hexavalent)	0	0	0
7440-50-8	Copper (Cu)	0	0	1,000,000
7440-66-6	Zinc (Zn)	0	0	0
9002-84-0	Polytetrafluoroethylene (PTFE)	0	553,234	0
Proprietary	Proprietary/Unknown	0	17,907	0
Proprietary	Ceramic Filler	0	285,656	0

The values presented below are estimates at the current revision, and it is derived from vendor supplied data. While Anaren strives for accurate reporting, due to product and process variations at both Anaren and our suppliers, the quoted values are our best estimates only, and not measured absolute values. Product specifications are subject to change without notice.

Material Declaration

Model - X3C06A4-03S Rev A

ROHS 2011/65/EU Compliant as of 7-Nov-2013



Total Mass (g) 0.526

CAS	Material	Internal Copper PPM	Tin Plating PPM
	Tetrafluoroethylene hexafluoropropylene		
25067-11-2	rubber (FEP)	0	0
60842-76-4	Polyimide (PI)	0	0
7440-02-0	Nickel (Ni)	35	0
7440-22-4	Silver (Ag)	12,111	0
7440-31-5	Tin (Sn)	0	1,000,000
7440-38-2	Arsenic	105	0
7440-47-3	Chromium (Cr) (non-hexavalent)	35	0
7440-50-8	Copper (Cu)	987,538	0
7440-66-6	Zinc (Zn)	175	0
9002-84-0	Polytetrafluoroethylene (PTFE)	0	0
Proprietary	Proprietary/Unknown	0	0
Proprietary	Ceramic Filler	0	0