	Copyright 2005. IPC, Bannoc oth international and Pan-Amer	kburn, Illinois	. All rights reserv	tion with low		parts, the	declaratio	n encor	npasses all lo	wer level mate	erials for v	te: if the item is vhich the manu e this declaration	acturer has			
1/32-2 1.1	PC Web Site for Informa http://www.ipc.org/IPC-		-1752 Standa	rd		Form Type * Distribute			Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materials and Mfg Informa							
Supplier Information																
Company Name *		Unique ID Authority			Response Date *			Response Document ID								
Anaren Microwave					2016	08-10										
Contact Name * Title - Contact		Phone - Contact *			Email - Contact *						• 4 •	15				
Sarvesh Nair	Project Engineer	Project Engineer		315-432-8909		sarvesh.nair@anaren.com			Duplica	te Contact	-> Authori	zed Represent	ative			
Authorized Representativ	e * Title - Representativ	itle - Representative		Phone - Representative *		Email - Representative *			Supplier Comments or URL for Additional Information							
Sarvesh Nair	Project Engineer	Project Engineer		315-432-8909		sarvesh.nair@anaren.com										
Requester Item Number	Mfr Item Number	Mfr Item Number		Mfr Item Name			Version	n Manufacturing Site		Weight *	UON	1 Unit Ty	ре			
	XC0900P-03AS		Hybrid Coupl	er, 3dB	2015-	09-23	E East S		yracuse	0.117	g	Each				
Alternate Recommendat	ion				Altern		e Item Comments				•					
Manufacturing Proces	s Information															
Terminal Plating / Grid Array N	aterial	Terminal B	ase Alloy	J-STD-020 MSL	Rating	Peak Proc	ess Body	Temper	ature Max Tim	e at Peak Tem	perature N	lumber of Reflow	Cycles			
Tin (Sn) - immersion CU Alloy			/ 1			260				30 seconds 3						
Comments Compliant to RoHS 2 Dire	ctive 2011/65/EU of the	European	Parliament	and of the Cou	ncil of 8	June 201	1 & Com	missio	n Delegated	Directive 201	5/863/EU	of 31 March 2	2015.			

Save the fields in this form to a file	Export Data	Import fields from a file into this form	Import Data	Clear all of the fields on this form	Reset Form	Lock the fields on this form to prevent changes	Lock Supplier Fields
RoHS Material Con	mposition Declarat	ion				Declaration Type *	Custom
		imit of 0.1% by mass (100 hers (PBDE) and quantity l				valent Chromium, Polybromir Cadmium	nated Biphenyls (PBB),
RoHS 2 (Directive 2011/65/EU (DIBP).	& 2015/863/EU) Definition Add	dendum: Quantity limit of 0.1% by ma	ass (1000 PPM) in homog	eneous material for: Bis(2-ethy	ihexyl) phthalate (DEHP), Butyl	benzyl phthalate (BBP), Dibutyl phthala	ate (DBP), Diisobutyl phthalate
date that Supplier completes the Supplier may have relied on in Supplier agrees that, at a mining	his form. Supplier acknowledge formation provided by others in mum, its suppliers have provide t to the identified part, the terms	es that Company will rely on this cert completing this form, and that Supp ed certifications regarding their contri and conditions of that agreement, ir	ification in determining the lier may not have indepen ibutions to the part, and th	e compliance of its products wit dently verified such information ose certifications are at least a	h European Union member stat n. However, in situations where s comprehensive as the certifica	ion is true and correct to the best of its k te laws that implement the RoHS Directi e Supplier has not independently verified ation in this paragraph. If the Company the sole and exclusive source of the Sup	ve. Company acknowledges that I information provided by others, and the Supplier enter into a
RoHS Declaration *	1 - Item(s) does not contain	RoHS restricted substances per th	e definition above			Supplier Acceptance * Acce	pted
Exemptions: If the declar above and choose all app		in RoHS restricted substance	es per the definition a	above except for defined	RoHS exemptions, then	select the corresponding respor	nse in the RoHS Declaration
Declaration Signa	ture						
-	-	ields on all pages of this f and click on Submit Form				own. This will display the sig	nature area. Digitally sign
Supplier Digital Signat	ture						

Homogeneous Material Composition Declaration for Electronic Products

Subltem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

Line Functions: +I Inserts a New Item /SubItem +M Inserts a new Material +C Inserts a new Substance Category +S Inserts a new Substance - Deletes the element line

	Item/SubItem		Homogeneous	Weight	Unit of			Level	Substance Category		Substance	CAS	Exempt		Unit of Measure	Tolerance		PPM
	Name		Material	weight	Measure			Level	Substance Category		Substance					-	+	
+I -I	XC0900P-03AS	+M -M	Dielectric	0.0694	g	+C	-C	Supplier	+5	5 -S	Titanium dioxide (TiO2)	13463-67-7		0.0219	g			314,90
		_				+C	-C	Supplier	+5	6 - S	Silica Fused (SiO2)	60676-86-0		0.0201	g			289,19
						+C	-C	Supplier	+5	6 -S	Polyimide (PI)	60842-76-4		0.00569	g			81,921
						+C	-C	Supplier	+5	6 -S	Polytetrafluoroethylene	9002-84-0		0.0217	g			312,14
						+C	-C	Supplier	+5	5 -S	Proprietary/Unknown	Proprietary		0.000127	g			1,836
		+M -M	Prepreg	0.0106	g	+C	-C	Supplier	+5	5 -S	Tetrafluoroethylene hex	25067-11-2		0.00705	g			667,74
			•			+C	-C	Supplier	+5	5 -S	Perfluoroalkoxy Copoly	26655-00-5		0.00351	g			332,25
		+M -M	Copper Cladding	0.0153	g	+C	-C	в	Arsenic/Arsenic Comp+	s -s	Arsenic	7440-38-2		0.000005	g			314,90
			•			+C	-C	Supplier	+5	6 -S	Chromium (Cr) (non-he	7440-47-3		0.000000	g			289,19
						+C	-C	Supplier	+5	6 -S	Copper (Cu)	7440-50-8		0.0153	g			81,921
						+C	-C	Supplier	+5	5 -S	Zinc (Zn)	7440-66-6		0.000009	g			312,14
						+C	-C	Supplier	+5	5 -S	Chromium (Cr) (hexava	18540-29-9		0.000000	g			1,836
		+M -M	Copper Plating	0.0221	g	+C	-C	Supplier	+\$	s -s	Copper (Cu)	7440-50-8		0.0221	g			1,000,0
		+M -M	Tin Plating	0.00011	g	+C	-C	Supplier	+5	6 -S	Tin (Sn)	7440-31-5		0.00011	g			1,000,0