| AS | | © Co | pyright 2005. IPC, Bannor International and Pan-Amer | kburn, Illinois | s. All rights reserv | tion with low | er level | parts, the | declaratio | on encon | | er level mat | erials for | which th | e item is an assembly ne manufacturer has leclaration. | | |
|---|-------------------------------------|-----------------|---|-----------------|----------------------|---------------|-----------|---|----------------|--|--|--------------|------------------|-------------|--|--|--|
| 1752-2 1.1 IPC Web Site for Information on IPC-1752 Standard http://www.ipc.org/IPC-175x | | | | | | | | rm Type * tribute | | Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materials and Mfg Informat | | | | | | | |
| Sup | plier Information | | | | | | | | | | | | | | | | |
| Company Name * Company Unique | | | | | Unique ID A | uthority | - | esponse Date * 016-07-29 | | | Response Doc | ument ID | | | | | |
| | tact Name * ey Hennigan | | Title - Contact Project Engineer | | | | | Email - Contact * casey.hennigan@anaren.co | | | Duplicate Contact -> Authorized Representative | | | | | | |
| Authorized Representative * Casey Hennigan | | | Title - Representativ Project Engineer | e | · · | | | il - Repres y.henniga | | | Supplier Comn | nents or UR | L for Add | litional Ir | nformation | | |
| | Requester Item Number Mfr Item Numl | | | | Mfr Item Name | 9 | Effect | ive Date | Version Manufa | | cturing Site | Weight * | UC | M | Unit Type | | |
| | | BD4859N50100AHF | | | 0404 Balun 5 | 50-100 Ohms | 2016 | -07-29 | С | East S | yracuse | 0.00173 | | | Each | | |
| | Alternate Recommenda | | | | | | Alternate | e Item Co | comments | | | | | | | | |
| Ма | nufacturing Proces | s In | formation | | | | | | | | | | | | | | |
| Terminal Plating / Grid Array Material Terminal | | | | ase Alloy | Rating | Peak Proc | ess Body | Tempera | ature Max Time | at Peak Terr | perature | Number | of Reflow Cycles | | | | |
| Nickel/Gold (Ni/Au) - ENIG CU | | | CU Alloy | y 1 | | | | | | | 30 seconds | | 3 | | | | |
| Com | ments | | | 1 | | 1 | | | | | | | 1 | | | | |

| Export Data | all of the Constant of the Reset Form Lock the fields on this form to prevent changes Lock Supplier Fields | | | | | | | | | | | |
|--|--|--|--|--|--|--|--|--|--|--|--|--|
| RoHS Material Composition Declaration Declaration Type * | | | | | | | | | | | | |
| RoHS Directive 2002/95/ECRoHS Definition: Quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury, Hexavalent Chromium, Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE) and quantity limit of 0.01% by mass (100 PPM) of homogeneous material for Cadmium | | | | | | | | | | | | |
| Supplier certifies that it gathered the information it provides in this form concerning RoHS restrictive substances using appropriate meth date that Supplier completes this form. Supplier acknowledges that Company will rely on this certification in determining the compliance Supplier may have relied on information provided by others in completing this form, and that Supplier may not have independently verifie Supplier agrees that, at a minimum, its suppliers have provided certifications regarding their contributions to the part, and those certificat written agreement with respect to the identified part, the terms and conditions of that agreement, including any warranty rights and/or remedies for issues that arise regarding information the Supplier provides in this form. | e of its products with European Union member state laws that implement the RoHS Directive. Company acknowledges that ed such information. However, in situations where Supplier has not independently verified information provided by others, itions are at least as comprehensive as the certification in this paragraph. If the Company and the Supplier enter into a | | | | | | | | | | | |
| RoHS Declaration * 1 - Item(s) does not contain RoHS restricted substances per the definition above | Supplier Acceptance * Accepted | | | | | | | | | | | |
| Exemptions: If the declared item does not contain RoHS restricted substances per the definition above except for defined RoHS exemptions, then select the corresponding response in the RoHS Declaration above and choose all applicable exemptions. | | | | | | | | | | | | |
| Declaration Signature | | | | | | | | | | | | |
| Instructions: Complete all of the required fields on all pages of this form. Select the "Accepted" on the Supplier Acceptance drop-down. This will display the signature area. Digitally sign the declaration (if required by the Requester) and click on Submit Form to have the form returned to the Requester. | | | | | | | | | | | | |
| Supplier Digital Signature | | | | | | | | | | | | |

Homogeneous Material Composition Declaration for Electronic Products

Subltem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

Line Functions: +I Inserts a New Item /SubItem +M Inserts a new Material +C Inserts a new Substance Category +S Inserts a new Substance - Deletes the element line

| | Item/SubItem | | Homogeneous | Woight | Unit of | | | Level | Substance Category | | | Substance | CAS | Exempt | Weight | | Tolerance | | РРМ |
|------|-----------------|-------|--------------------|----------------------|---------|----|----|----------|-------------------------|----|----|-------------------------|-------------|--------|----------|---------|-----------|---|---------|
| | Name | | Material | Weight | Measure | | | Level | | | | oubstance | | Lvempt | weight | Measure | - | + | |
| + - | BD4859N50100AHF | +M -M | External Copper | 0.00005: | g | +C | -C | Supplier | | +S | -S | Copper (Cu) | 7440-50-8 | | 0.000053 | g | | | 1,000,0 |
| | | +M -M | External Dielectr | 0.00021 | ģ | +C | -C | Supplier | | +S | -S | Tri-allyl-isocyanurate | 1025-15-6 | | 0.000026 | g | | | 123,00 |
| | | | | | | +C | -C | Supplier | | +S | -S | Initiator | 1068-27-5 | | 0.000001 | g | | | 8,600 |
| | | | | | | +C | -C | Supplier | | +S | -S | Silica Fused (SiO2) | 60676-86-0 | | 0.000114 | g | | | 530,00 |
| | | | | | | +C | -C | Supplier | | +S | -S | Elastomer | 9003-55-8 | | 0.000011 | g | | | 51,900 |
| | | | | | | +C | -C | Supplier | | +S | -S | Poly-phenylene oxide | 92-71-7 | | 0.000061 | g | | | 286,50 |
| | | +M -M | Internal Copper | 0.00018 | g | +C | -C | Supplier | | +S | -S | Copper (Cu) | 7440-50-8 | | 0.000186 | g | | | 1,000,0 |
| | | +M -M | Internal Dielectri | 0.00082 | ig | +C | -C | Supplier | | +S | -s | Silica Fused (SiO2) | 60676-86-0 | | 0.000407 | g | | | 493,00 |
| | | | | | | +C | -C | Supplier | | +S | -S | Polytetrafluoroethylene | 9002-84-0 | | 0.000391 | g | | | 474,00 |
| | | | | | | +C | -C | Supplier | | +S | -S | Proprietary/Unknown | Proprietary | | 0.000027 | g | | | 33,000 |
| | | +M -M | CIC | 0.00043 [,] | g | +C | -C | Supplier | | +S | -s | Iron (Fe) | 7439-89-6 | | 0.000199 | g | | | 462,63 |
| | | | | | | +C | -C | Supplier | | +S | -S | Magnanese (Mn) | 7439-96-5 | | 0.000001 | g | | | 3,559 |
| | | | | | | +C | -C | в | Nickel (external applic | +S | -s | Nickel | 7440-02-0 | | 0.000111 | g | | | 258,00 |
| | | | | | | +C | -C | Supplier | | +S | -S | Copper (Cu) | 7440-50-8 | | 0.000119 | g | | | 275,80 |
| | | +M -M | Nickel Plating | 0.000019 | g | +C | -C | A | Lead/Lead Compound | +S | -S | Lead | 7439-92-1 | | 0.000000 | g | | | 500 |
| | | | | | | +C | -C | В | Nickel (external applic | +S | -S | Nickel | 7440-02-0 | | 0.000019 | g | | | 999,50 |
| | | +M -M | Gold Plating | 0.00000 | lg | +C | -C | Supplier | | +S | -S | Gold (Au) | 7440-57-5 | | 0.000000 | g | | | 1,000,0 |